

	Search Text	DBs
1	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsi and (high near2 speed) and (low near2 speed) and (halting or stopping) and (reconnect or retransmit)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	((half near2 duplex) and (full near2 duplex) and xdsi and (high near2 speed) and (low near2 speed) and (halting or stopping) and (reconnect or retransmit)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	((half near2 duplex) and (full near2 duplex) and xdsi and (high near2 speed) and (low near2 speed) and (reconnect or retransmit)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsi and (high near2 speed) and (low near2 speed)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	((half near2 duplex) and (full near2 duplex) and xdsi and (high near2 speed) and (low near2 speed)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsi and (high near2 speed) and (low near2 speed) and (halt or stop or off) and (reconnect or retransmit)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	(half near2 duplex) and (full near2 duplex) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
8	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and (half near2 duplex) and (full near2 duplex) and (speeds or rates) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and (half near2 duplex) and (full near2 duplex) and (speeds or rates) and xdsl and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296).ccls. and (half near2 duplex) and (full near2 duplex) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and ((half near2 duplex) and (full near2 duplex) and xdsl and (high near2 speed) and (low near2 speed) and (halting or stopping) and (reconnect or retransmit)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and (dual adj mode) and handshake and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
15	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and dual and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and dual and xdsl and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130).ccls. and handshake and modes and dual and (xdsl or dsl) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	(375/214 or 375/220 or 375/222 or 370/276 or 370/279 or 370/293 or 370/296 or 375/130 or 375/259 or 375/219 or 379/93.01).ccls. and handshake and modes and dual and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	6366567.URPN.	USPAT
20	("5311114" "5432775" "5825755").PN.	USPAT
21	("4531238" "4630288" "4759018" "4920533" "5012467" "5119372" "5121382" "5249183" "5351241" "5432775" "5504738" "5541964" "5572511").PN.	USPAT
22	6188669.URPN.	USPAT
23	("5237561" "5428608" "5610910" "5668857" "5719901" "5751706" "5784683" "5889774" "5889856" "5910970" "5960036").PN.	USPAT
24	((half near2 duplex) and (full near2 duplex) and xdsl and (((high near2 speed) and (low near2 speed)) or speeds) and (halt or stop or off) and (reconnect or retransmit ore re-connect or re-transmit)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
25	(half near2 duplex) and (full near2 duplex) and handshake and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	(half near2 duplex) and (full near2 duplex) and handshake and (dual near2 (more or modes)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	(half near2 duplex) and (full near2 duplex) and handshake and (dual near2 (mode or modes)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	(half near2 duplex) and (full near2 duplex) and handshake and speeds and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	((half near2 duplex) and (full near2 duplex) and (high near2 speed) and (low near2 speed) and (reconnect or retransmit)) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	(half near2 duplex) with (full near2 duplex) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	((half near2 duplex) with (full near2 duplex)) and handshake and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	((half near2 duplex) with (full near2 duplex)) and handshake and (speed or speeds) and analog and digital and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	370/296.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	(370/296.ccls.) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	duplex and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	duplex and communication and (speed or speeds) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
37	duplex and communication and (speed or speeds) and (synchronize or synchronization) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and dsl and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and xdsl and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and analog and digital and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	duplex and communication and (speed or speeds) and (synchronize or synchronization) and handshake and analog and digital and (dual adj mode) and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	((full and half) near2 duplex) and communication and (speed or speeds) and (synchronize or synchronization) and handshake and analog and digital and (@rlad<19990108 or @prad<19990108 or @ad<19990108)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	5103446.URPN.	USPAT
45	4924456.URPN.	USPAT
46	("3956589" "3990046" "4425664" "4756007" "4780883").PN.	USPAT
47	5682419.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	5349635.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
49	4897831.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	5682419.pn. or 5349635.pn. or 4897831.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	(5479447, 5400322, 5805669, 5910970, 5903608, 5608764, 5715277, 5644573, 5463661, 4680773, 5311578, 5163131, 5448566, 5751914, 5796808, 5757803, 5410343, 5852655, 5781617, "5668857").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	(5479447, 5400322, 5805669, 5910970, 5903608, 5608764, 5715277, 5644573, 5463661, 4680773, 5311578, 5163131, 5448566, 5751914, 5796808, 5757803, 5410343, 5852655, 5781617, "5668857").pn.	USPAT
53	wo-9749229-\$.did.	EPO; JPO; DERWENT